

CPUC Staff Ex Ante Review

CPUC Staff Project ID Number	SCE_23_T.C.918 [REDACTED]
CMPA Directory Link	https://deerecources.info/cmpa/projects/2115
PA	SCE
PA Application ID	[REDACTED]
PA Application Executed Date	[REDACTED]
PA Program ID	SCE-13-TP-029
PA Program Name	Public Energy Performance PEF
PA Program Year	[REDACTED]
Date of CPUC Staff Review:	1/23/2024
PA CMPA Upload Dates Included in this review:	
First PA Upload	12/12/2023
Second PA Upload	
Third PA Upload	
Fourth PA Upload	
Fifth PA Upload	
Sixth PA Upload	
Seventh PA Upload	
Eighth PA Upload	
PA Measure Description(s):	
Measure 1	SEM OM projects ONLY Whole Building behavioral operational and process efficiency optimization
Measure 2	
Measure 3	
Measure 4	
Measure 5	
Measure 6	
Measure 7	
Measure 8	
Measure 9	
Measure 10	
PA Project Description:	SEM project with several potential EPIAs that will be applied district wide such as change HVAC belt types demand controlled ventilation controls coil and condenser cleaning closing exhaust hoods when not in use exhaust fan scheduling etc Site will be using a top down modeling approach
Bi-Monthly Upload kW Demand Reduction	[REDACTED]
Bi-Monthly Upload Annual kWh Impacts	[REDACTED]
Bi-Monthly Upload Therm Impacts	[REDACTED]
PA Proposed Incentive \$ (to Customer)	[REDACTED]
Project Documentation kW Demand Reduction	[REDACTED]
Project Documentation Annual kWh Impacts	[REDACTED]
Project Documentation Annual Therm Impacts	[REDACTED]
Project Documentation Incentive \$ (to Customer)	[REDACTED]
CPUC Staff Primary Reviewer Name	[REDACTED]
CPUC Staff Primary Reviewer Firm	[REDACTED]
CPUC Staff Review Supervisor Name	[REDACTED]
CPUC Staff Review Supervisor Firm	[REDACTED]
PA Primary Reviewer Name	[REDACTED]
PA Primary Reviewer Firm	[REDACTED]
CPUC Staff Project Manager	[REDACTED]
CPUC Staff Policy Authorization (as needed)	
CPUC Staff Recommendation:	Advisory
For rejection, action required:	N/A
M&V Review:	Post M&V Review (M&V Results and Final Calculations) Required

Action Number:	Summary of CPUC Staff Required Action by the PA:	Action Category	PA Response	ED Resolution

Note or Instruction Number:	CPUC Staff Notes or Instructions:	Instruction Category	PA Response	ED Resolution
1	The project files package for this site [REDACTED] is similar to the package for [REDACTED]. The reviewers were not able to distinguish the difference in facilities/buildings between the two applications. The provided utility bills for [REDACTED] sites are identical. Please include more details on what facilities/buildings each of the [REDACTED] applications cover	Other 1		
2	The provided project files included the hypothesis model; however, the model did not include any data for the baseline period and hence, no savings were calculated or claimed in the model. The reviewers expect the final model to include the data for both the baseline and reporting periods along with the installed measures descriptions. The final model must include a description of all measures completed with dates and their estimated impact, if available.	Continue Document Upload		
3	Upload the YR1 performance report upon completion of YR1.	Continue Document Upload		
4	The project files document that the facility has a non-IOU fuel source (on-site solar generation). More details should be provided regarding how this NIPS will be accounted for, and it's impact removed from the SEM claimed savings.	Self generation		

CPUC Staff Recommendation Definitions	
CPUC Staff Recommendation	Definition
Application ready to proceed without exception	The PA will continue to upload application documents to the CMPA directory through the implementation and claims phases of the project. The PA may proceed to approve the project without waiting for CPUC Staff response. A project is waived from further review at the post-installation stage by CPUC staff, but the PA is responsible for post-installation (IR) review. There will not be conditional approval.

<p>Application ready to proceed with exception(s), as noted</p>	<p>The PA must make revisions or changes as noted in CPUC Staff's review comments before signed agreement with customer. The PA will continue to upload application documents to the CMPA directory through the implementation and claims phases of the project. The PA may proceed to approve the project without waiting for CPUC Staff response. If CPUC Staff decides to perform IR review of a project, CPUC Staff will notify the PA. The scope will be limited to determine if the project was carried out consistent with the application and notes provided during pre-installation review and to obtain information pertaining to whether the eligibility criteria or metrics should be revised.</p> <p>Unless the scope of work presented in project application has changed at IR review, the project will not be reviewed again in the areas specified below. Scope change is defined by substantial changes include significant modifications to the proposed equipment type, size, quantity, configuration, the expansion of a project to include additional retrofits, or the splitting of a project into multiple phases.</p> <p>The following areas will not be reviewed again by CPUC Staff:</p> <ul style="list-style-type: none"> • Calculation Tool • Calculation Methodology • M&V Plan • Baseline • Eligibility • EUI/RUL • Measure Type • Program Influence
<p>Application rejected.</p>	<p>The application is rejected as submitted. The PA shall promptly inform the applicant as to the reasons why the project was rejected and the specific recommendations for the conditions under which the project would be approved. CPUC Staff shall provide the reasons for the rejection or request for modification, including each basis as to why the project is rejected, or modification is requested. In addition, CPUC Staff shall provide specific recommendations for the conditions under which the project would be approved.</p> <p>If any party to the project is unsatisfied with the Commission's directions for the project, a dispute resolution process may be initiated by that party. The Commission shall adopt rules for the conduct of the dispute resolution process. – Section 381.2 (g) (3) (F)</p>
<p>Advisory.</p>	<p>The PA is not formally required to follow instructions or recommendations given in an Advisory review. However, issues found will affect ESPI scoring and may come up again in Ex-Post review.</p>